

# SceneSwitch LED candles and lustres

## LEDClassic SSW 40W B35 E14 WW CLND 1SRT4

Some situations call for cool light, others benefit from the ambience of a warm, cosy glow. With Philips SceneSwitch LED candles and lustres, you can have different light settings from just one lamp. And you don't need a dimmer! Optimise your lighting for relaxing, hobbies, recreation or working. Simply at the flick of a switch. And that's your existing switch! No extra installation is required.

### Product data

General Information	
Cap base	E14 [ E14]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	15000 h
Switching cycle	20,000X
Technical type	5;2.5;1-40-18-9W
Light Technical	
Colour Code	827/825/822 [ CCT of 2,700 K/2,500 K/2,200 K]
Luminous flux (nom.)	470-180-90 lm
Colour designation	Warm/Extra Warm/Very Warm
Correlated Colour Temperature (Nom)	2700 2500 2200 K
Luminous efficacy (rated) (nom.)	94.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	5 2.5 1 W


Lamp current (nom.)	45 mA
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	65 °C
Controls and Dimming	
Dimmable	No
Approval and Application	
Energy efficiency label (EEL)	A+
Energy consumption kWh/1,000 hours	5 kWh
Product Data	
Full product code	871869977215400
Order product name	LEDClassic SSW 40W B35 E14 WW CLND 1SRT4
EAN/UPC – product	8718699772154

# SceneSwitch LED candles and lustres

Order code	77215400
Numerator – quantity per pack	1
SAP numerator – packs per outer box	4
Material no. (12 NC)	929001888855

Net Weight (Piece)	0.014 kg
--------------------	----------


## Dimensional drawing




Candle C35 6-40W 2700-2500-2200K E14 ND

Product	D	C
LEDClassic SSW 40W B35 E14 WW CLND 1SRT4	35.5 mm	106 mm


## Photometric data



LEDBulb CLA 40W E14 B35 827-822 ND



LEDBulb CLA 40W E14 B35 827-822 ND





General Uniform Lighting

CaroLux Photometrics 4.5 Philips Lighting B.V. Page: 1/1

LEDBulb CLA 40W E14 B35 827-822 ND

## SceneSwitch LED candles and lustres

### Lifetime



LEDBulb CLA 40W E14 B35 827-822 ND

LEDBulb CLA 40W E14 B35 827-822 ND

