

Vernis Blend
Showerpipe 200 1jet EcoSmart with thermostat
 Surfaces: **chrome** Art. no. : **26089000**



Description

product features


- Consists of: overhead shower, hand shower, Thermostatic shower mixer, shower hose, slider
- overhead shower Vernis Blend 200 1jet
- shower head size overhead shower: 205 mm
- spray type overhead shower: Rain
- overhead shower angle adjustable
- spray type hand shower: Rain, IntenseRain
- Maximum flow rate (at 3 bar): 8.7 l/min
- Flow rate of hand shower (at 3 bar): 8.7 l/min
- flow rate Rain 8.7 l/min at 3 bar
- Min. operating pressure: 1 bar
- Max. operating pressure: 10 bar
- Shower bar diameter: 19 mm
- height-adjustable slider with locking push-button slider
- shower arm length overhead shower: 426 mm
- thermostat Vernis
- safety stop at 40°C
- adjustable hot water limitation
- outlets controlled via volume control/diverter and may not be used simultaneously
- exposed design allows easy installation, all working parts are outside of the wall
- Connection dimension 1/2"
- Connection thread 1/2"
- Centre distance 150 mm ± 12 mm
- Intrinsically safe against backflow
- Installation: wall-mounted
- Amount of inlets / outlets: designed to run 2 outlets

Article Details

Price excl. VAT

£ 419.09

Technology



Certificates



Vernis Blend

Showerpipe 200 1jet EcoSmart with thermostat

Surfaces: **chrome** Art. no. : **26089000**



Spare part list

Year of production: >04/21

Pos.	Description	Art. no.	Price	PU
1	shower arm	93768000	-	1
2	hollow set screw M5x5	98446000	-	1
3	filter packing	94246000	-	1
4	head shower	26277000	-	1
5	tile-matching-disk 7 mm	93813000	-	1
6	extension 100 mm	94164000	-	1
7	pipe 845 mm	93906000	-	1
8	pipe 945 mm	93770000	-	1
9	pipe 1145 mm	93907000	-	1
10	support, assy	93729000	-	1
11	O-ring 12x2	98214000	-	1
12	O-ring 11x2	98127000	-	1
13	handshower	26340000	-	1
14	shower hose Metaflex'C 1,60 m	28266000	-	1
15	seal	98058000	-	1
16	handle for thermostat	93727000	-	1
17	nut	98913000	-	1
18	thermostat cartridge	98282000	-	1
19	cartridge for exchanged connections	92373000	-	1
20	handle	93731000	-	1
21	shut off unit with selector	98283000	-	1
22	connecting thread G½	93730000	-	1
23	non return valve (pressure-resistant up to 2 MPa)	93136000	-	1
24	non return valve	96737000	-	1
25	O-ring 16x2	98133000	-	1
26	filter packing	96922000	-	1
27	escutcheon Ø 70 mm	93718000	-	1
28	set of S-unions (±12 mm)	94140000	-	1
29	noise reduction	96429000	-	1